

Part Number: PT311-89100

Kit Contents

Item #	Quantity Reqd.	Description
1	1	Cargo Cover Assembly
2		
3		
4		
5		
6		
7		

Hardware Bag Contents

Item #	Quantity Reqd.	Description
1		
2		
3		

Additional Items Required For Installation

Item #	Quantity Reqd.	Description
1		
2		
3		

Conflicts

--

Recommended Tools

Personal & Vehicle Protection	Notes
Special Tools	Notes
Installation Tools	Notes
Special Chemicals	Notes

General Applicability

All Models

Recommended Sequence of Application

Item #	Accessory
1	
2	
3	

*Mandatory

NOTE: Part number of this accessory may not be the same as the part number shown.

Vehicle Service Parts (may be required for reassembly)

Item #	Quantity Reqd.	Description
1		
2		
3		

Legend



STOP: Damage to the vehicle may occur. Do not proceed until process has been complied with.



OPERATOR SAFETY: Use caution to avoid risk of injury.



CAUTION: A process that must be carefully observed in order to reduce the risk of damage to the accessory/vehicle and to ensure a quality installation.



TOOLS & EQUIPMENT: Used in Figures calls out the specific tools and equipment recommended for this process.



REVISION MARK: This mark highlights a change in installation with respect to previous issue.



SAFETY TORQUE: This mark indicates that torque is related to safety.

Care must be taken when installing this accessory to ensure damage does not occur to the vehicle. The installation of this accessory should follow approved guidelines to ensure a quality installation.

These guidelines can be found in the "Accessory Installation Practices" document.

This document covers such items as:-

- Vehicle Protection (use of covers and blankets, cleaning chemicals, etc.).
- Safety (eye protection, rechecking torque procedure, etc.).
- Vehicle Disassembly/Reassembly (panel removal, part storage, etc.).
- Electrical Component Disassembly/Reassembly (battery disconnection, connector removal, etc.).

Please see your Toyota dealer for a copy of this document.

1. Installation Preparation

- (a) Open Carton and check part for damage and kit contents.

2. Install the Cargo Cover

- (a) Install the cargo cover in the area behind the 2nd row seat. (Fig. 2-1)



- (b) Position the cargo cover so that the handle is facing rear of the vehicle and towards the top of the tube.

- (c) Install the cargo cover into RH side panel pocket and compress the end cap. (Fig. 2-2)

- (d) Swing the LH end cap into the LH side panel pocket.




Fig. 2-1





Fig. 2-2



3. Extending the Cover

- (a) Pull on the handle to bring out the cargo cover. (Fig. 3-1)
- (b) Place the hook in the groove in the side panel for both the LH and RH sides. (Fig 3-2)

NOTE: There is no in vehicle storage for the cargo cover.

Checklist - these points **MUST** be checked to ensure a quality installation.

Check:

Look For:

Accessory Function Checks

- Retract / Extend cargo cover
-
-
-

Smooth operation of the cargo cover

Vehicle Function Checks

-
-
-